
Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.



1905-1906 WHOLESALE PRICE-LIST



Rhododendrons Azaleas · Kalmias Andromedas · Lilies · Cypripediums Ferns · Sarracenias and Trees Shrubs and Herbaceous Plants

HARLAN P. KELSEY

6 Beacon Street BOSTON, MASS.

Grown in the Carolina Mountains at

Highlands Nursery

100 Acres at 3,800 feet elevation

KAWANA, SAGINAW, N. C. SALEM BRANCH, SALEM, MASS.



TERMS, ETC.

Terms are eash or satisfactory reference from unknown parties. Accounts due first of each month, unless by special arrangement.

Shipments usually direct from Highlands Nursery, from Pineola, N. C., freight station. Present freight rate to New York, Boston and Philadelphia points, 96½ cents per 100 pounds. Special express rates connecting with Norfolk steamers. Rates from our Rhododendron fields in Pennsylvania and from Nursery in Salem, Mass., on request.

Packing charged at cost only; our export shipments reach the most remote countries in perfect condition.

Send foreign remittances by Postal Money Order, drawn on Boston, Mass., postoffice, or by New York or Boston Exchange. An American dollar equals 4 shillings, 4 marks or 5 francs.

Claims must be made on receipt of goods. All shipments travel at consignee's risk.

Shipping begins in August, when we send out large Rhododendrons, Kalmias and other Evergreens, and Bulbs and Herbaceous Plants; general stock going out in October and November, and in spring, from about March 1 to May 15. Give shipping instructions, unless you wish to leave it to us. We use our best judgment, but assume no risk.

A Certificate of Inspection is sent out with every shipment.

Strictly hardy stock only is offered in this catalog, unless specially noted.

We publish a beautifully illustrated descriptive catalog.

We make low prices on any list of nursery stock desired, and are glad to estimate.

HARLAN P. KELSEY, Prop.

Beacon Building

Cable Address KELMONT-BOSTON

BOSTON, MASS.

ALWAYS ADDRESS BOSTON OFFICE

The Only Large Stock Ever Offered of the True

Rhododendron catawbiense

CAROLINA RHODODENDRON

Do not confuse this with the common so-called "catawbiense seedlings" imported from Europe, which is in reality a half-hardy, poor-flowered hybrid with little catawbiense blood in it. The true species grows only in the highest Southern Allegheny mountains, and is the finest of all Rhododendrons, considering its extreme hardiness, color of flower, and remarkable texture of foliage, which is a deep shiny green, far superior to that of the better known Rhododendron maximum.

For massing and producing a broad-leaved evergreen effect, there is no plant equal to it in the latitude of the northern United States, where strictly hardy plants must necessarily be used. Unlike R. maximum, it is a free bloomer, the large trusses being a bright red-purple color, in marked contrast to the muddy purple of the common half-hardy bybrid noted above. All plants offered below are heavy clumps. Packing is done in boxes, or the larger sizes in crates, and is charged at cost. These clumps often have 30 to 50 stems, and are bushy to the ground. We offer both collected and transplanted clumps.

We have magnificent fields for collecting this grand Rhododendron, with reasonable freight rates. Parks, cemeteries and nurserymen should write us for special prices in car lots.

PRICES OF RHODODENDRON CATAWBIENSE

Nearly all clumps over 1 foot are heavily budded

Prices of Rhododendron and Kalmia clumps at Salem Branch will be 25 per cent above these rates

NURSERY-GROWN

Bushy plants with balls and extra furnished, diameter of clumps corres-

ponding to height	Per 10	100	1,000
3 to 6 inches	\$0 60	\$4 50	\$30 00
6 to 9 inches	1 00	8 00	70 00
9 to 12 inches	1 50	12 00	100 00
Clumps, 6 to 9 inches	2 00	18 00	
Clumps, 9 to 12 inches	3 50	25 00	
Clumps, 1 to 1½ feet	5 00	40 00	
Clumps, 1½ to 2 feet	11 00	90 00	
Clumps, 2 to 3 feet	20 00	150 00	
Clumps, 3 to 4 feet	35 00	300 00	

0

Some extra clumps, 3 to 5 feet high, at \$4 to \$15 each. These prices are for stock growing at nursery in North Carolina.

COLLECTED

All bushy clumps with fine balls, diameter corresponding to height

		100	1,000
1 to 1½ feet	\$3 00	\$25 00	\$210 00
1½ to 2 feet		50 00	420 00
2 to 2½ feet	. 9 00	70 00	600 00
2½ to 3 feet		120 00	950 00
3 to 4 feet	. 25 00	225 00	1,800 00
4 to 5 foot	40 00	250 00	

We offer some large clumps with fine bushy tops, thin-foliaged at bottom, for use in center of large masses, 3 to 6 feet high, at 75 cts. to \$10 each, both nursery-grown and collected.

Do not compare the many-stemmed clumps offered above with the single-stemmed "bushy" half-hardy Rhododendrons offered by importers. There is no comparison.



Rhododendron maximum

THE GREAT AMERICAN ROSE BAY

and Kalmia latifolia

THE MOUNTAIN LAUREL

PERFECTLY HARDY IN THE LATITUDE OF QUEBEC

The use of large native Rhododendron maximum and Kalmia latifolia for producing immediate, finished, broad-leaved, evergreen effects is so well established as to searcely need comment. There is no other possible way to obtain the results to be had by the use of these magnificent hardy evergreens. We sell both collected and nursery-grown clumps in any quantity. Our facilities and long experience are approached by none, and the quality of stock we handle cannot be duplicated. We have over 100,000 Rhododendrons and Kalmias growing in our Nurseries, fine bushy plants with balls.

Our nursery-grown stock is at Highlands Nursery, in N. C., and Salem, Salem Branch, while we collect car-load lots from special sources in the Pennsylvania and Carolina Mountains. Prices per car-load of Rhododendron maximum vary with size and grade.

Freight rate from our Pennsylvania fields to Boston, New York, Philadelphia, Buffalo and similar points is from \$20.00 to \$40.00 per car. Number of plants to the car varies from forty or fifty to several hundred, according to size and grade.

It is always best to have us make a special estimate where large quantities are desired, and it is cheaper and more satisfactory to buy by the plant, and have cars packed to the utmost limit.

PRICES BY THE PLANT

RHODODENDRON MAXIMUM

All are bushy and with balls, and the larger clumps usually budded and all well furnished, diameter corresponding well to height.

NURSERY-GROWN	Per		10		1,0	
3 to 6 in			\$2		\$18	
6 to 12 in	. 7	75	5	00	40	00
1 to 1½ ft	. 1 7	75	12	50	100	00
1½ to 2 ft	. 3 (00	20	00	180	00
Clumps, 9 to 12 in	. 3 (00	20	00		
Clumps, 1 to 1½ ft	. 3 !	50	30	00		
Clumps, 1½ to 2 ft	. 7 (00	60	00		
Clumps, 2 to 3 ft	.12 5	50 :	115	00		
Clumps, 3 to 3½ ft	.30 (00 3	250	00		

Some extra clumps, 3 to 6 ft., at \$3.50 to \$10.00 each. These prices are for stock growing at Nursery in North Carolina. Prices for stock growing in Nursery at Salem, Mass., 25 per cent above these prices.

COLLECTED CLUMPS

	Per 10	100	1,000
1 to 1½ ft	.\$2 75	\$20 00	\$160 00
1½ to 2 ft	. 4 00	35 00	300 00
2 to 3 ft	. 9 00	70 00	500 00
3 to 4 ft	.17 00	140 00	1,000 00
4 to 5 ft	.30 00	200 00	1,600 00
5 to 6 ft	.50 00	400 00	

Some magnificent clumps, 4 to 6 feet, perfect specimens, from 6.00 to 15 each. If you want something extra, we have it.

RHODODENDRON PUNCTATUM

The smallest Alleghanian species, and very rare. A graceful shrub, with rose blossoms borne in greatest profusion in June. Beautiful for rocky slopes and cliffs, as it stands exposure unusually well. One of the finest specimens ever introduced.

	Per 10	100
3 to 6 in	 .\$0 60	\$5 00
6 to 9 in	 . 1 25	10 00
9 to 12 in \ Nursery-grown only \	 . 2 00	18 00
Clumps, 9 to 12 in	 . 4 00	30 00
Clumps, 1 to $1\frac{1}{2}$ ft	 . 8 00	

KALMIA LATIFOLIA

All are well furnished and bushy and lift with fine balls, the larger clumps usually budded. Diameter corresponds well to height.

	NURSERY-GROWN		***	1 000
	NORDER 1 - ORO WIN	Per 10	100	1,000
3 to 6 in		.\$0 40	\$2 50	\$18 00
6 to 9 in		. 75	5 00	35 00
9 to 12 in		. 1 75	8 00	55 00
			12 50	100 00
			20 00	180 00
			20 00	
Clumps, 1 to 1½ ft		. 4 50	40 00	
			75 00	
Clumps, 2 to 3 ft		.20 00	150 00	
	COLLECTED CLUMPS			
	COLLECTED CLUMPS		100	1,000
			\$20 00	\$160 00
			35 00	300 00
2 to 21/2 ft		8 00	60 00	450 00

$2\frac{10}{2}$ to 3 ft. 8 00 60 00 450 00 2½ to 3 ft. 12 00 85 00 600 00 Larger clumps, fine specimens, can be supplied at \$2.00 to \$8.00 each.

HARDY AMERICAN DECIDUOUS	TRE	FS
Per 10	100	1,000
Acer negundo. 1 to 2 ft	\$3 00 5 00	
2 to 4 ft	5 00	
2 to 3 ft	8 00	
3 to 4 ft	12 00	
rubrum. 2 to 3 ft, 1 00	6 00	
3 to 4 ft 1 50	10 00	
saccharum. 1 to 2 ft 40	3 00	\$20 00
2 to 3 ft	4 50	35 00
3 to 4 ft	7 00	10.00
spicatum. 6 to 12 in., S	1 50 3 00	12 00 25 00
6 to 12 in	5 00	40 00
2 to 3 ft	8 00	40 00
AEsculus octandra. 1 to 2 ft	4 00	
Amelanchier botryapium. 1 to 2 ft	6 00	50 00
2 to 3 ft	8 00	70 00
3 to 4 ft	12 00	
Betula lenta. 2 to 4 ft	5 00	
8 to 12 ft 2 00	15 00	
lutea. 2 to 4 ft	5 00	40 00
4 to 6 ft	8 00	70 00
nigra. 2 to 4 ft	6 00	50 00
4 to 6 ft	12 00 17 50	
papyrifera. 3 to 4 ft	12 00	
4 to 6 ft	12 00	
populifolia, 6 to 12 in	4 50	
1 to 2 ft	9 00	
Carpinus caroliniana. 6 to 12 in., S 40	3 00	20 00
1 to 2 ft 75	5 00	40 00
2 to 3 ft	8 00	60 00
3 to 4 ft	12 00	110 00
4 to 5 ft	20 00	
Carya amara. 6 to 12 in	4 00	30 00
2 to 4 ft	6 00	50 00
4 to 6 ft	0 00	00 00
pumila. 6 to 12 in., S	9 00	75 00
Catalpa speciosa. 2 to 3 ft	3 00	
3 to 4 ft 1 00	6 00	
Cercis canadensis. 2 to 3 ft		
Cladrastis lutea. 2 to 4 ft		
Cornus alternifolia. 6 to 12 in	2 00	
2 to 3 ft 1 00	7 00	
3 to 4 ft	14 00 16 00	
4 to 5 ft	5 00	
2 to 3 ft	12 00	
Diospyros virginiana. 1 to 2 ft	5 00	
Fagus americana. 1 to 2 ft	6 00	
2 to 3 ft 1 50		
Fraxinus americana. 1 to 2 ft	3 00	
2 to 3 ft	5 00	Marie
lanceolata. 6 to 12 in., S	3 00	20 00
1 to 2 ft	4 00 6 00	30 00
2 to 3 ft	0 00	50 00



HARDY AMERICAN DECIDUOUS TREES, c	ontinuo	d
Per 10	100	1,000
Fraxinus nigra. 4 to 6 ft\$1 50		
oregona. 1 to 2 ft	\$7 00	
Gymnocladus dioica. 6 to 12 in	5 00	
Ilex monticola. 6 to 12 in	3 00	
4 to 6 ft	15 00 5 00	
Juglans cinera. 3 to 4 ft. 75 nigra. 1 to 2 ft. 1 00	5 00	
Larix laricina. 1 to 2 ft	6 00	
2 to 3 ft	9 00	
2 to 3 ft	9 00	
Liriodendron tulipifera. 4 to 6 ft 1 00		
Magnolia acuminata. 6 to 12 in	4 50 5 00	
1 to 2 ft 1 25		
tripetala 1 to 2 ft. 1 00 2 to 3 ft. 1 50 3 to 4 ft. 2 00	7 00 12 00	
3 to 4 ft	15 00	
4 to 0 1t 5 00		
Malus coronaria. 6 to 12 in., S. 1 50 1 to 2 ft. 2 00	12 00 18 00	
2 to 3 ft 3 00	20 00	
Mohrodendron diptera. 2 to 3 ft 2 00	8 00	ACO 00
carolinum. 6 to 12 in	10 00	\$60 00
2 to 3 ft 2 00	17 50	
3 to 4 ft		
Ostrya virginica. 1 to 2 ft	6 00	
2 to 3 ft	12 00	
Oxydendrum arboreum. 1 to 2 ft	7 00	50 00
2 to 3 ft	15 00	
3 to 4 ft		
Prunus pennsylvanicum. 1 to 2 ft., col	2 00	8 00
serotina. 4 to 6 ft	8 00	
Ptelea trifoliata. 1 to 2 ft	5 00	40 00
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	7 00 9 00	50 00 65 00
Quercus alba. 6 to 12 in., S 50	3 00	20 00
coccinea. 6 to 12 in	5 00 7 00	30 00 60 00
2 to 4 ft 1 75	15 00	135 00
4 to 6 ft	12 00	
macrocarna 1 to 2 ft 1 25	9 00	
3 to 4 ft. 2 00 palustris. 2 to 3 ft. 175	15 00	
3 to 4 ft	20 00	
4 to 5 ft	7 00	
2 to 3 ft 1 75		
rubra. 1 to 2 ft	6 00	100 00
4 to 6 ft	17 50	200 00
Rhamnus caroliniana. 1 to 2 ft	4 00	
Rhus cotinoides. 1 to 2 ft		
3 to 4 ft20 00		
4 to 6 ft	9.50	
Robinia pseudacacia. 6 to 12 in	2 50 5 00	
Sorbus americana. 6 to 12 in 75	5 00	
1 to 2 ft	9 00 15 00	
4 to 6 ft 3 00	1.7 00	
Taxodium distichum. 2 to 3 ft		
Tilia americana. 1 to 2 ft	5 00	
1 to 2 ft	- Notes	
Ulmus americana. 1 to 2 ft. 50 Salix alba. 12 to 18 in. 60	4 50	
Data and, 12 to 10 m	* 00	

HARDY AMERICAN EVERGREEN TREES

IIIII I IIIIIIIII E I LICOI			
	Per 10	100	1,000
Abies balsamea. 6 to 12 in	\$1 00	\$7 00	
concolor. 6 to 12 in	2 00	15 00	
fraseri. 6 to 12 in		4 50	\$35 00
1 to 2 ft		5 00	
2 to 3 ft		12 00	
3 to 4 ft			
Chamaecyparis sphæroidea. 1 to 2 ft		1-01	
Ilex opaca. 6 to 12 in		12 00	100 00
12 to 18 in	2 00	15 00	100 00
		15 00	
18 to 24 in		W 00	
Juniperus communis. 1 to 2 ft		7 00	
2 to 3 ft	1 75	T 00	
virginiana. 1 to 2 ft		7 00	
Magnolia glauca. 1 to 2 ft	2 00	17 50	
glauca thompsoniana. 6 to 12 in		7 00	
12 to 18 in		17 50	
Picea canadensis. 6 to 12 in		7 00	50 00
12 to 18 in	1 50		
mariana. 6 to 12 in		3 00	
1 to 2 ft	75	5 00	
2 to 3 ft		9 00	
3 to 4 ft			
4 to 5 ft	4 00		
pungens. 1 to 2 ft		50 00	
Pinus contorta. 1 to 2 ft		5 00	
2 to 3 ft		7 00	
3 to 4 ft		12 00	100 00
flexilis. 6 to 12 in.		The state of the	
pungens. 1 to 2 ft			
2 to 3 ft	3 00		
resinosa. 12 to 18 in.			
strobus. 6 to 12 in		5 00	35 00
1 to 2 ft		10 00	80 00
2 to 3 ft		15 00	125 00
3 to 4 ft		30 00	(that
4 to 5 ft		MT.	
tæda. 6 to 12 in			
ponderosa. 2 to 3 ft			
Pseudotsuga taxifolia. 6 to 12 in		7 00	60 00
Thuja occidentalis. 1 to 2 ft		4 00	30 00
2 to 3 ft		6 00 12 00	
3 to 4 ft			
4 to 5 ft		20 00	00.00
Tsuga canadensis. 6 to 12 in		3 50	30 00
12 to 18 in		8 00	60 00
18 to 24 in		16 00	125 00
2 to 3 ft		25 00	
3 to 4 ft		40 00	
4 to 5 ft		40.00	
caroliniana. 6 to 12 in		12 00	
12 to 18 in		20 00	
18 to 24 in		30 00	
2 to 3 ft		130 00	
3 to 4 ft	30 00		

HARDY AMERICAN DECIDUOUS SHRUBS

Per	- 10	100	1.000
Adelia acuminata. 2 to 3 ft\$1	00 \$	8 00	-,
3 to 4 ft	00		
Alnus alnobetula. 3 to 4 ft	00 2	0 00	
4 to 6 ft 4		0 00	
rugosa. 1 to 2 ft 1		7 00	
2 to 3 ft., clumps 2		7 50	
3 to 4 ft 3	00		
Amorpha fruticosa. 1 to 2 ft		4 50	
montana. 6 to 12 in., S		3 00	\$20 00
2 to 3 ft 2	00		
		5 00	
		7 00	
3 to 4 ft		00 0	
erythrocarpa. 2 to 3 ft 1	50 1	2 00	
Aronia melanocarpa. 1 to 2 ft	00		
		6 00	40 00
2 to 3 ft., clumps	50 1	2 00	
3 to 4 ft., clumps 3	00		



HARDY AMERICAN DECIDUOUS	SHR	UBS,	contin	ued
	P	er 10	100	1,000
Azalea arborescens. 6 to 12 in		\$1 50	\$12 00	
6 to 12 in., clumps		$\frac{2}{2} \frac{00}{00}$	17 50 17 50	\$160 00
12 to 18 in		3 50	30 00	275 00
18 to 24 in 18 to 24 in., heavy clumps		3 00	25 00	210 00
18 to 24 in., heavy clumps		6 00	50 00	
2 to 3 ft., clumps	49	12 00		
lutea. 6 to 12 in	, 55	1 00	7 00	50 00
lutea, 6 to 12 in		1 50	12 00	100 00
12 to 18 in., clumps		2 00	17 50	
18 to 24 in,	• • • • •	2 50	20 00	175 00
18 to 24 in., clumps. 2 to 3 ft., clumps. 3 to 4 ft., clumps.		5 00	30 00 40 00	
3 to 4 ft., clumps		15 00	130 00	
nudiflora, 6 to 12 in		1 25	8 00	70 00
12 to 18 in 18 to 24 in		2 00	15 00	130 00
vaseyi. 6 to 12 in	• • • • •	3 00	12 00	100 00
12 to 18 in		2 00	17 50	160 00
18 to 24 in. viscosa. 6 to 12 in. 12 to 18 in.		4 00	35 00	100 00
viscosa. 6 to 12 in		1 00	6 00	40 00
12 to 18 in		1 25	9 00	60 00
Baccharis halimifolia. 1 to 2 ft., strong		$\frac{2}{1} \frac{00}{25}$	9 00	
Benzoin benzoin. 1 to 2 ft		1 00	8 00	60 00
2 to 3 ft		1 75	15 00	
Berberis canadensis. 6 to 12 in		50	3 00	
1 to 2 ft		75	5 00	
thunbergh, 6 to 12 in.		1 00	3 50 7 00	
1 to 2 ft. elumps		1 50	12 00	
2 to 3 ft., clumps		1 75	15 00	
vulgaris. 6 to 12 in		50	4 00	
to 2 ft. thunbergii. 6 to 12 in. 1 to 2 ft. 1 to 2 ft. 1 to 2 ft. 2 to 3 ft., clumps 2 to 3 ft., clumps vulgaris. 6 to 12 in. 1 to 2 ft. Butneria fertilis. 2 to 3 ft., clumps florida 6 to 12 in.		75	5 00	
florida. 6 to 12 in	• • • • •	1 00 50	8 00 2 00	15 00
florida. 6 to 12 in. 1 to 2 ft. 2 to 3 ft.		75	3 00	20 00
2 to 3 ft		1 50	12 50	100 00
3 to 4 ft clumps		2 00		
Callicarpa americana. 6 to 12 in		1 00	10.00	
Ceanothus americanus. 6 to 12 in	• • • • •	1 50 2 00	10 00 18 00	
Cephalanthus occidentalis, 1 to 2 ft		1 00	7 00	
Chionanthus virginies 6 to 12 in S		50	2 50	20 00
1 to 2 ft. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. Clethwe services 1 to 2 ft.		1 00	8 00	50 00
2 to 3 ft		2 00	15 00	140 00
3 to 4 ft	• • • • •	4 00 7 50	30 00	
4 to 5 ft		60	4 00	
		1 00	7 00	
3 to 4 ft. 4 to 6 ft., clumps		1 50	12 00	
4 to 6 ft., clumps		2 50	20 00	60 00
2 to 3 ft clumps		2 00	7 00 16 00	150 00
3 to 4 ft., clumps		6 00	10 00	100 00
Cliftonia ligustrina. 6 to 12 in		2 00		
2 to 3 ft., clumps 3 to 4 ft., clumps 12 to 18 in. Cliftonia ligustrina. 6 to 12 in. 12 to 18 in. Comptonia peregrina. 1 to 2 ft.		3 00	1.00	0= 00
Comptonia peregrina. 1 to 2 ft		75 60	4 00 3 00	35 00
Cornus alba, 1 to 2 ft. 2 to 3 ft. amonum, 6 to 12 in, S 1 to 2 ft. 2 to 3 ft.		1 00	7 00	
amonum. 6 to 12 in., S		60	2 00	10 00
1 to 2 ft		75	4 00	10.00
2 to 3 ft		1 00 2 00	6 00	40 00
2 to 3 ft. 3 to 4 ft. paniculata. 1 to 2 ft.		1 50	10 00	
2 to 3 ft		2 00		
paniculata. 1 to 2 ft. 2 to 3 ft. stolonifera. 2 to 3 ft. stolonifera aurea. 3 to 6 in. Corylus americana. 1 to 2 ft. 3 to 4 ft.		1 50	12 00	
stolonifera aurea. 3 to 6 in		60	4 50	
Corylus americana. 1 to 2 It		1 25	9 00	
		1 00	6 00	50 00
2 to 3 ft. Crataegus coccinea. 6 to 12 in.		1 25	9 00	
Crataegus coccinea. 6 to 12 in		75	6 00	
1 10 2 11		$\frac{1}{1} \frac{00}{25}$	8 00 9 00	
cordata, 2 to 3 ft		1 75	9 00	
cordata. 2 to 3 ft. 3 to 4 ft. crus-galli. 1 to 2 ft. 2 to 3 ft. punctata. 6 to 12 in.		1 00	7 00	
2 to 3 ft		1 50	12 00	
punctata. 6 to 12 in. 1 to 2 ft		75 1 25	5 00 9 00	40 00 60 00
1 to 2 it		1 20	9 00	00 00

HARDY AMERICAN DECIDUOUS SHRUBS,	contin	ued
Per 10	100	1,000
Decodon verticillatus. Strong\$1 00	\$7 00	
Decodon verticillatus. Strong \$1 00 Diervilla diervilla, 6 to 12 in. 75	6 00	
12 to 18 in	9 00	
rivularis. 1 to 2 ft., clumps		
12 to 18 in	6 00	
2 to 3 ft., clumps	10 00	
Euonymus americanus. 1 to 2 ft. 1 60	15 00 8 00	
2 to 4 ft	15 00	\$130 00
Fothergilla alnifolia. 6 to 12 in 2 00	10 00	φ100 00
Gaylussacia resinosa. 6 to 12 in 75	5 00	
ursina. 6 to 12 in		
12 to 18 in 2 00		
Hamamelis virginica. 1 to 2 feet	6 00	
2 to 3 ft	$\frac{12}{20} \frac{00}{00}$	
3 to 4 ft	35 00	
Hydrangea arborescens. 1 to 2 ft	5 00	
	12 00	
3 to 4 ft., clumps		
radiata. 6 to 12 in 75	5 00	
1 to 2 ft 1 50	12 00	
3 to 4 ft., clumps. 2 50 radiata. 6 to 12 in. 75 1 to 2 ft. 1 50 2 to 3 ft. 4 00 Ilex decidua. 6 to 12 in. 5. 75	- 05	
Ilex decidua. 6 to 12 in., S	5 00	40.00
verticillata. 6 to 12 in	5 00 7 00	40 00
New decidua. 6 to 12 in. 75 verticillata. 6 to 12 in. 75 1 to 2 ft. 1 00 2 to 3 ft. 1 75 Itea virginica. 12 to 18 in. 1 50 Leucothoe recurva. 1 to 2 ft., clumps. 1 00 2 to 3 ft. 1 50 Ligustrum jbota. 6 to 12 in. 40	15 00	60 00
Itea virginica. 12 to 18 in	10 00	
Leucothoe recurva. 1 to 2 ft., clumps	7 00	
2 to 3 ft	12 00	
2 to 3 ft	2 00	
	3 00	
	2 00	15 00
1 to 2 ft	4 00	30 00
Menziesia pilosa. 1 to 2 ft	10 00	
Myrica cerifera. 6 to 12 in	5 00	40 00
12 to 18 in. 1 50 gale 2 to 2½ ft. 1 50 Pieris mariana 6 to 12 in. 1 00	12 00	
gale. 2 to 2½ ft	8 00	
1 to 2 ft	12 00	
Pieris mariana. 6 to 12 in. 1 00 1 to 2 ft. 1 75 Potentilla fruticosa. 2 to 3 ft., clumps. 2 00	12 00	
Prunus maritima. 6 to 12 in	5 00	
1 to 2 ft 1 00	8 00	
pumila. 1 to 2 ft		
2 to 3 ft 2 00	15 00	
Rhodora canadensis. 6 to 12 in 1 00	8 00	
12 to 18 in	12 00	
Rhodotypus kerroides. 6 to 12 in	5 00	
12 to 18 in	9 00 5 00	40 00
copallina. 1 to 2 ft	5 00	40 00
copallina. 1 to 2 ft	9 00	
2 to 3 ft. 1 00 3 to 4 ft. 1 50 glabra. 1 to 2 ft. 1 00	12 00	
glabra. 1 to 2 ft	6 00	
2 to 3 ft 1 50	9 00	
3 to 4 ft 2 00	15 00	
hirta. 1 to 2 ft	5 00	
2 to 3 ft. 1 50 3 to 4 ft. 2 00 hirta. 1 to 2 ft. 75 2 to 3 ft. 1 00 3 to 4 ft. 2 00	7 00	
3 to 4 ft	10.00	
prostructum 9 to 2 ft	12 0 0	
Robinia hispida. 1 to 3 ft	5 00	
	8 00	
kelseyi. 6 to 12 in	20 00	
1 to 2 ft 4 00		
rosea. 1 to 2 ft		
viscosa, 2 to 4 ft 1 25	8 00	
rosea. 1 to 2 ft. 1 250 Rosa blanda. 6 to 12 in. 75 1 to 2 ft. 1 50 2 to 3 ft. 1 50 combined to 4 ft. 1 60 2 to 3 ft. 1 50	5 00	
Rosa blanda. 6 to 12 in	6 00	
2 to 3 ft	12 00	
carolina. 1 to 2 ft	3 00	20 00
2 to 3 ft	5 00	-0.00
humilis lucida 6 to 12 in 60	4 00	30 00
12 to 18 in 1 00	6 00	
12 to 18 in 1 00 lucida. 1 to 2 ft 1 00 multiflora. 1 to 2 ft 1 25	6 00	
multiflora. 1 to 2 ft	9 00	
nitida. 1 to 2 ft 1 25	9 00	
2 to 3 ft., clumps 2 00	4 00	
rubiginosa. 6 to 12 in	7 00	
1 to 2 ft 1 00	, 00	

HARDY AMERICAN DECIDUOUS SHRUBS.	continu	ied
Per 10	100	1.000
Rosa rugosa. 1 to 2 ft	\$10 00	
	7 00	
3 to 4 ft., strong	10 00	
woodsii. 12 to 18 in 3 00		
3 to 4 ft., strong 1 50 woodsii. 12 to 18 in. 3 00 Rubus odoratus. 6 to 12 in. 50 1 to 2 ft. 75	2 00	\$18 00
	3 00	25 00 20 00
	5 00	20 00
1 to 2 ft	7 00	
1 to 2 ft.	4 00	
4 to 6 ft., clumps	7 00	40 00
thunbergii. 1 to 2 ft	6 00	10 00
tomentosa. 1 to 2 ft	5 00	40.00
Stuartia pentagyna. 6 to 12 in	5 00 15 00	40 00 130 00
2 to 3 ft 3 50	30 00	130 00
3 to 4 ft 5 00		
Symphoricarpus racemosus 1 to 2 ft 75 2 to 3 ft 1 00	5 00	
2 to 3 ft	7 00 12 00	
symphoricarpus. 1 to 2 ft	5 00	
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	8 00	
12 to 18 in	15 00 15 00	
pallidum. 6 to 12 in	7 00	
12 to 24 in 1 50	10 00	
stamineum. 6 to 12 in	7 00	
12 to 18 in	7 00	60 00
2 to 3 ft., clumps 1 75	15 00	130 00
3 to 4 ft., clumps	20 00	70.00
alnifolium. 6 to 12 in	8 00 15 00	70 00
2 to 3 ft clumps 3 50	10 00	
cassinoides. 6 to 12 in	5 00	40 00
1 to 2 ft	12 00 20 00	80 00
3 to 4 ft., clumps 4 00		
dentatum. 2 to 3 ft	17 50 25 00	
4 to 5 ft clumps 10 00	20 00	
nudum. 1 to 2 ft		
2 to 3 ft	17 50 8 00	
1 to 2 ft	15 00	
2 to 3 ft 3 00		
3 to 4 ft	5 00	
	12 00	
Xanthorrhiza apiifolia. 3 to 6 in., clumps 50	3 00	20 00
6 to 12 in. clumps 1 00	6 00	45 00
12 to 18 in., clumps. 1 50 Xolisma ligustrina. 1 to 2 ft. 1 00 1 to 2 ft., clumps. 1 75	6 00	
1 to 2 ft., clumps	12 00	
HARDY AMERICAN EVERGREEN	SHD	UBS
Andromeda polifolia. 6 to 12 in., clumps\$0 75	100 \$5 00	1,000 \$40 00
12 to 18 in., clumps	φινου	ψ10 00
12 to 18 in., clumps. 2 00 Chamaedaphne calyculata, 6 to 12 in., clumps. 75	5 00 7 00	
12 to 18 in	7 00 5 00	
12 to 18 in., clumps		
prostratum. 3 to 6 in 1 00	6 00 9 00	50 00
6 to 9 in., clumps	5 00	40 00
1 to 2 ft	8 00	
2 to 3 ft	12 00	
3 to 4 ft		
buckley), 6 to 12 m. clumbs	15 00	
densiflorum. 6 to 12 in., clumps	1 00	8 00
buckley1, 6 to 12 in. clumps. 1 (5) densiflorum. 6 to 12 in. S. 30 1 to 2 ft. S. 50	$\begin{array}{cc} 1 & 00 \\ 2 & 00 \end{array}$	15 00
1 to 2 ft., S	1 00	15 00 40 00
1 to 2 ft., S. 50 2 to 3 ft. 1 00	$\begin{array}{ccc} 1 & 00 \\ 2 & 00 \\ 6 & 00 \end{array}$	15 00

AMBRICAN P	1.4		TA	TO
HARDY AMERICAN EVERGREEN	SHR	UBS.	contin	ued
			100	1,000
Ilex glabra. 6 to 12 in		\$1 50	\$12 00	
12 to 18 in. Juniperus communis aurea. 12 to 18 insabina. 6 to 12 in		2 00 1 50		
sabina. 6 to 12 in		3 00		
1 to 2 ft		6 00 50	4 00	
			8 00	
Ledum groenlandicum. 6 to 12 in		1 00	8 00 12 00	
Leucothoe catesbæi 6 to 12 in		75	5 00	\$40 00
Leucothoe catesbæi 6 to 12 in.		1 00	7 00	60 00
12 to 18 in., clumps		7 50	12 00	
12 to 18 in		14 00		
japonica. 18 to 24 in		15 00	10.00	
Taxus minor. 6 to 12 in			12 00	
22 10 20 111				
HADDY MATIVE VINES A	MD	CII	MDE	DC
HARDY NATIVE VINES A				CA
Aristolochia sipho. 6 to 12 in		er 10	100 \$7 00	1,000
Bignonia crucigera. 6 to 12 in		50	3 00	
Cebatha carolina. Strong		50	3 00	
Celastrus scandens. 1 to 2 ft		75	5 00	\$40 00
2 tô 4 ft			27 00 12 00	60 00
crispa		1 75	12 00	
erispavirginiana. Strong S		25	2 00	12 00
Strong clumps Dioscorea villosa		75 50	4 00	25 00
Euonymus radicans. 12 to 18 in			15 00	
Humulus lupulus		75	5 00	
Ipomoea pandurata		75	5 00	
Lonicera dioica. 2 to 4 ft		1 50	10 00	
iaponica, var. halliana. Strong clumps		1 00 50	7 00 4 00	30 00
flava. Strong japonica, var. halliana. Strong clumps sempervirens. 1 to 2 ft.		2 00	2 00	00 00
menispermum canadense		อบ	4 00	
Parthenocissus engelmanni. Col. plants First size		1 00	1 50 7 00	12 00 50 00
Second size		75	5 00	35 00
quinquefolia. Strong		1 00	6 00	
vitacea. 6 to 12 in Passiflora incarnata			10 00 12 00	
Polygonum cilinode		50	3 50	20 00
Tecoma grandiflora. 12 to 18 in				
radicans. 6 to 12 in		40	3 00	
Vitis æstivalis. 6 to 12 in		2 00	9 00 15 00	
			12 00	
heterophylla. 6 to 12 in		1 50	12 00	
cordiona. I to 2 ft. heterophylla. 6 to 12 in indivisa. 1 to 2 ft. labrusca. 6 to 12 in. S. 2 to 4 ft., strong. monticola. 6 to 12 in. 1 to 2 ft. vulpina. 6 to 12 in.		1 00	3 00	20 00
2 to 4 ft., strong		2 00		
monticola. 6 to 12 in		2 50		
vulpina. 6 to 12 in		1 50		
Wistaria frutescens. Strong		1 00		
HARDY NATIVE GROUND - COV	ERIN	IG P	LANT	5
THE GROUND - COV		er 10	100	1.000
Galax aphylla. Tr. elumps	d	1 00	\$6 00	\$40 00
Col. clumps		75	3 00	20 00

	Per 10	100	1.000
Galax aphylla. Tr. clumps	\$1 00	\$6 00	\$40 00
Col. clumps	75	3 00	20 00
Epigaea repens. Tr. clumps	2 00	15 00	
Col. clumps		7 00	
Gaultheria procumbens. Tr. clumps	1 00	7 00	
Col. clumps		3 00	18 00
Glechoma hederacea	30	1 50	
Houstonia serpyllifolia. Col	50	3 00	18 00
Lycopodium elavatum. Col	40	2 00	15 00
complanatum. Col	40	2 00	15 00
lucidulum. Col		2 00	15 00
obscurum. Col	40	2 00	15 00
Mitchells repens. Col. clumps	75	4 00	30.00

HARDY NATIVE GROUND-COVERING PLA	INT	S. co	ntinued
Per	10	100	1,000
Phlox reptans, Col		\$3 00	
subulata alba	75 00	5 00	
subulata alba	50	4 00	
enneitoine 1 to 2 ft	00	0.00	
laciniatus. 1 to 3 ft	30 00	2 00 7 00	
hispidus 2 hispidus 2 hispidus 3 hispidus 4 hispidus 4 hispidus 5 hispidus 5 hispidus 6	50	3 00	
serpyllifolia. Col	50	3 00	
Strong plants	75 50	5 00 4 00	\$40 00 20 00
	.00	6 00	20 00
HARDY AMERICAN NATIVE FI	DM	-	
)	
	r 10	100 \$6 00	1,000
Adiantum pedatum. Clumps	00	8 00	\$45 00
platyneuron 1 filix-fæmina. Strong.	00		
filix-fæmina. Strong	75	5 00	
novaboracensis. Strong	00	8 00 8 00	
novaboracensis. Strong. 1 thelypteroides 1 trichomanes. Botrychium dissectum.	75	5 00	
Botrychium dissectum.	75	5 00	
virginicum	00 60	4 00	
Camptosorus rhizophyllus	75	5 00	
Camptosorus rhizophyllus Cystopteris fragilis	50	10 00	1- 00
Dryopteris acrostlehoides	50 75	2 00 5 00	15 00 30 00
eristata elintoniana	50	5 00	30 00
marginalis	75	5 00	35 00
novaboracensis 1	00 75	8 00 5 00	35 00
spinulosa spinulosa intermedia 1	00	6 00	00 90
thelynteris	50		
Lycodium palmatum	00 75	8 00 5 00	
Lycodium palmatum 1 Onoclea sensibilis Osmunda cinnamomea 1	00	6 00	40 00
claytoniana 1	00	6 00	40 00
regalis	00 50	6 00	40 00
Pellaea atropurpurea 1 Phegopteris hexagonoptera 1 Polypodium vulgare. Col. clumps. 1	00	5 00	
Polypodium vulgare. Col. clumps	50	3 00	15 00
Pteris aquilina	50	3 00	15 00
Woodward virginion	00	0 00	
			_
INSECTIVOROUS, AQUATIC AND BOG			
10		100	1,000
Acorus calamus \$1 Aster punicens. Col. Castalia odorata 1	00 50	\$5 00 3 00	\$12 00
Castalia odorata	00	5 00	φ12 UU
Chelone glabra 1	00	5 00	
lyoni	00	5 00	
Cicuta maculata	00	5 00	
Coptis triionata	75	5 00	40.00
Dionaea muscipula	00 50	5 00	40 00
Drosera rotundifolia	50 75	5 00	40.00
Iris pseudacorus 1	50	0 00	20 00
versicolor. Clumps	75	5 00	
Nuphar advena	50		
Nymphaea sagittæfolia 4 Orontium aquaticum	00	6 00	
	50	4 00	25 00
Oxycoccus macrocarpus. Chumps	20	1 00	6 00
Sagittaria latifolia	30	1 50	- 7 00
Sarracenia catesbæi	00	12 00 12 00	
flava	25	8 00	
minor 1			
minot		10 00	
psittaeina	00	12 00	
dumman	00 00 50	12 00 6 00 10 00	
Sparganium ramosum	00 00 50 75	12 00 6 00 10 00 3 00	20 00
rubra	00 00 50 75	12 00 6 00 10 00	20 00

HARDY CYPRIPEDIUMS AND OTHER (RCHIDS	
Per 10		1,000
Cypripedium acaule. Light	\$3 00 5 00	\$20 00 40 00
	20 00	40 00
candidum 3 00	0.00	00.00
candidum 3 00 hirsutum Light 50 Strong 75	3 00 5 00	20 00 40 00
montanum 3 00	0 00	10 00
parviflorum	75.00	
reginæ. 1 to 2 crowns	15 00 28 00	
6 to 7 crowns 5 00	45 00	
Clumps containing 8 crowns or over at 10 cts.		
per crown. Habenaria ciliaris	5 00	40 00
hookeriana	6 00	CHIMA
peramœna	5 00	40-00
Orchis spectabilis	5 00 12 50	40 00
Peramium pubescens 1 50	10 00	
repens 1 50	10 00	
HARDY NATIVE LILIES AND BULBOUS	DLANTS	5
Per 10	100	1.000
Allium cernuum\$1 00	\$7 00	2,000
tricoccum	3 00	
Ricuculla canadensis 50	3 00	20 00
cucullaria	5 00	35 00
cucullaria 75 eximia. Strong tr. S. 75 Clumps 1 00	5 00	35 00
	7 00 3 00	20 00
Convallaria majalis	2 00	20 00
Erythronium americanum, Col	1 50	8 00
Lilium canadense	5 00 8 00	35 00 70 00
Convallaria majalis 50 Erythronium americanum. Col 25 Lilium canadense. 75 carolinianum. First size. 150 Second size. 75	5 00	40 00
numbolatii 3 00		
grayi, First size	10 00 7 00	75 00 50 00
Second size	3 00	18 00
pardalinum 3 00		
superbum. First size	5 00 3 00	40 00 25 00
Third size	1 50	10 00
Oxalis acetosella. Col	1 50	8 00
Trillium erectum	2 00	18 00
erectum album. 60 grandiflorum. Small 20	4 00 1 00	7 00
Strong	2 00	15 00
petiolatum 1 50 sessile Californicum 1 50	10.00	
sessile ruhrum 2 00	10 00 15 00	
stylosum. Light 60	2 50	20 00
Strong 1 50	4 00 2 50	30 00
undulatum 50	2 50	18 00
HARDY NATIVE HERBACEOUS PER	RENNL	ALS
Per 10	100	1,000
Aconitum reclinatum\$1 25		
uncinatum 75	\$10 00	
Actaea alba 60	5 00	\$35.00
rubra	5 00	\$35 00
rubra	5 00 4 00 15 00 7 00	
rubra	5 00 4 00 15 00 7 00 3 00	\$35 00 20 00
rubra 2 00 Adopogon montana 1 00 Amsonia amsonia. Strong S. 50 Strong clumps 1 00	5 00 4 00 15 00 7 00	
rubra 2 00 Adopogon montana 1 00 Amsonia amsonia. Strong S. 50 Strong clumps 1 00	5 00 4 00 15 00 7 00 3 00 6 00	20 00
rubra 2 00 Adopogon montana 1 00 Amsonia amsonia. Strong S 50 Strong clumps 1 00 Angelica curtisii 50 Apocynum androsæmifolium 75 Aquilegia canadensis. Clumps 1 00	5 00 4 00 15 00 7 00 3 00 6 00 3 00 5 00 7 00	20 00
rubra 2 00 Adopogon montana 1 00 Amsonia amsonia. Strong S 50 Strong clumps 1 00 Angelica curtisii 50 Apocynum androsæmifolium 75 Aquilegia canadensis. Clumps 1 00 Aralia nudicaulis. 50	5 00 4 00 15 00 7 00 3 00 6 00 3 00 5 00 7 00 3 00	20 00
rubra 2 00 Adopogon montana 1 00 Amsonia amsonia. Strong S 50 Strong clumps 1 00 Angelica curtisii 50 Apocynum androsæmifolium 75 Aquilegia canadensis. Clumps 1 00 Aralia nudicaulis 50 racemosa. 75	5 00 4 00 15 00 7 00 3 00 6 00 3 00 5 00 7 00 3 00 4 00	20 00
rubra 2 00 Adopogon montana 1 00 Amsonia amsonia. Strong S 50 Strong clumps 1 00 Angelica curtisii 50 Apocynum androsæmifolium 75 Aquilegia canadensis. Clumps 1 00 Aralia nudicaulis. 50 racemosa. 75 Archangelica hirsuta 60	5 00 4 00 15 00 7 00 3 00 6 00 3 00 5 00 7 00 3 00	20 00
rubra 2 00 Adopogon montana 1 00 Amsonia amsonia. Strong S 50 Strong clumps 1 00 Angelica curtisii 50 Apocynum androsæmifolium 75 Aquilegia canadensis. Clumps 1 00 Aralia nudicaulis 50 racemosa. 75	5 00 4 00 15 00 7 00 3 00 6 00 3 00 5 00 7 00 3 00 4 00	20 00
rubra 2 00 Adopogon montana 1 00 Amsonia amsonia. Strong S 50 Strong elumps 1 00 Angelica curtisii 50 Apocynum androsæmifolium 75 Aquilegia canadensis. Clumps 1 00 Aralia nudicaulis. 50 racemosa. 75 Archangelica hirsuta 60 Artemisia gracilis. 2 50	5 00 4 00 15 00 7 00 3 00 6 00 3 00 5 00 7 00 3 00 4 00 4 00	20 00 15 00



HARDY NATIVE HERBACEOUS PERENN	IIAI	S, conti	nued
Pe	er 10	100	1,000
Asclepias incarnata\$ tuberosa	1 50	\$12 00 7 00	
Aster cordifolius	50	3 00	
novæ-angliæ.	1 50	10 00 6 00	
Baptisia australis. Strong	1 50	12 00	
tinetoria. Strong	75 75	3 00 5 00	
Carex fraseri	1 00	5 00	
Cassia marylandica Strong	75	4 00	
Collinsonia canadensis.	60 50	4 00 3 00	
Collinsonia canadensis. Chamaelirium luteum Cimicituga americana	40	2 00	\$15 00
racemosa	50 50	3 00	20 00 20 00
Clintonia borealis	50	3 00	20 00
umbellulata. Coreopsis lanceolata. Clumps	50 60	3 00 4 50	
major. Clumps	75	5 00	
rosea verticillata. Cornus canadensis.	1 00	7 00	
Cornus canadensis.	75 1 00	4 00 6 00	
Corydans glauca	75	5 00	
Disporum lanuginosum	1 00	7 00	
Disporum lanuginosum Eupatorium ageratoides	50	3 00	15 00
perfoliatum	50 50	3 00 3 00	15 00
purpureum Euphorbia corollata Gentiana andrewsii Geranium maculatum	75	4 (0	
Gentiana andrewsii	40 50	2 00	12 00
Geum radiatum	1 00	3 00	
Grindelia squarrosa. Helenium autumnale Col. clumps	60	4 00	
Helianthus strumosus	50 75	3 00	25 00 20 00
Hepatica acuta	40	3 00	20 00
hepatica	75 75	5 00 5 00	40 00
Heuchera americana pubescens.	75	5 00	40 00
	2 00		
sanguinea. sanguinea alba. villosa. Hibiscus, Crimson Eye. moscheutos. Rose-pink. Strong. Houstonia purpurea. Col. clumps. Hydrastis canadensis Iris cristata. Clumps Strong	3 00	4 50	
Hibiscus, Crimson Eye	75	5 00	
moscheutos	50 1 00	4 00 7 00	
Houstonia purpurea. Col. clumps	50	3 00	
Hydrastis canadensis	50 75	3 00 4 00	
Strong	50	3 00	20 00
Strong verna. Clumps Strong Col. Liatris gracilis	75 50	4 00 2 00	10 00
Liatris gracilis.	1 00	6 00	10 00
Lacinaria pycnostacnya	1 00	6 00	
scariosa	1 00	6 00	
	1 00	6 00	
Leptandra virginica	1 00	6 00 20 00	
Leucocrinum montanum. Lobelia cardinalis. Strong syphilitica Melanthium virginicum Mortensia vivojinica	2 00	15 00	
Lobelia cardinalis. Strong	50 75	4 00 5 00	
Melanthium virginicum	1 00	7 00	
Mertensia virginica	1 00	8 00 2 00	
Mertensia virginica. Mimulus ringens. Col. clumps Monarda didyma. Clumps	1 00	6 00	
Monarda elinopodia		6 00	
fistulosa	1 00	0 00	
Parnassia asarifolia			
Panax quinquefolium. Sizes and prices on request. Parnassia asarifolia Paronychia argyrocoma. Phlox maculata	1 00 75	5 00	
Physostegia virginiana	75	6 00	
Physostegia virginiana virginiana, var. alba. Podophyllum peltatum polygonatum biflorum	1 00	7 00 2 00	18 00
polygonatum biflorum	60	3 00	PATRICE .
Porteranthus stipulatus. Strong	75	5 00	
Potentilla tridentata Clumps	00	5 00	
Sanguinaria canadensis. See under Bulbs. Sedum telephioides	00	7 00	
ternatum	50	3 00	

HARDY NATIVE HERBACEOUS PERENNIALS, continu	ied
Per 10 100 1	1.000
Shortia galacifolia. First size\$3 00 \$25 00	1,000
Second size	
Silene stellata	
virginica	
Solidago canadensis	
odora	
	10 00
virgaurea 75 5 00	
Spigelia marylandica	
Stachys aspera 60 4 00	
Steironema quadriflorum	
ciliatum	
Stenanthium robustum. Med 1 75 12 00	
Heavy	
Stokesia cyanea	
Thalictrum dioicum	
Thermopsis caroliniana Strong	
Therofon aconitifolium. Clumps	
Tradescantia pilosa	
virginiana	
Trautvetteria carolinensis	
Triosteum perfoliatum	
Unifolium canadense 50 4 00	
Uvularia perfoliata	
sessilifolia	
Vagneria racemosa. Strong 75 4 00	
Veratrum viride. Strong	
Vernonia novaboracensis. Col. clumps	
Viola blanda	
canadensis	
cucullata. 50 3 00	
hastata	
lanceolata	
palmata	
pedata	
pedata bicolor	
rotundifolia	
Yucca filamentosa	
	00 01
glauca. Medium	
Clumps 4 00	
Xerophyllum asphodeloides. Strong	
Zigadenus leimanthoides 1 50 12 00	
HARDY AMERICAN CACTI	
	er 10

]	Per	10
Opuntia cam	anchia	 	.\$2	00						
fragilis		 	. 1	50						
refinesquii		 	 	 	 	 	 		. 2	00
mesacanth	a macrorhiza	 	. 2	00						
	3 -33								0	00



BEAUTIFULLY Illustrated Catalogue of Kelsey's Hardy American Plants is gladly sent to all in the trade. It will make you acquainted with the best and hardiest class of ornamentals for American Parks and Gardens



HARLAN P. KELSEY

6 Beacon Street BOSTON, MASS.